Montana Fish, Wildlife & Parks Harvest Survey Program

Kevin Podruzny
Wildlife Biometrician
Research & Technical Services Bureau
Montana Fish, Wildlife & Parks



Harvest Survey Program

- □Who are we?
- □What information do we collect?
- □What do we produce?
- ☐ How do we get the information?
- □Why do we do it the way we do?
- ☐ How well do we do?
- □ Future enhancements.



Who are we?



Core Harvest Survey Team

- ☐ Kevin Podruzny (Biometrician, Research and Technical Services Bureau, Wildlife Division)
- ☐ Keri Wash (Harvest Survey Coordinator, Research and Technical Services Bureau, Wildlife Division)
- Merissa Hayes (Systems Analyst, Projects Bureau, Technology Services Division)
- ☐ Emily Hinz (Application Development Manager, Application Development Bureau, Technology Services Division)
- ☐ Garry Yadon and Quinlan Johnson (Software Engineers, Application Development Bureau, Technology Services Division)
- □ Robert Stanley and Mike Delzer (Database Administrators, DevOps Section, Technology Services Division)
- ☐ Craig Hageman and Sunny Schreiner (Network Support Specialists, Network Services Bureau, Technology Services Division)





MFWP Harvest Survey Working Group

- ☐ Diverse group of Helena Wildlife Division staff, Technology Services staff, and Regional Wildlife Biologists
- ☐ Meet at least annually to review and direct survey process
- □ Recommendations presented to Regional Wildlife Managers for approval or modification
- ☐ Wildlife Division Kevin Podruzny, Justin Gude, John Vore, Quentin Kujala, Bob Inman, Nick Mulvaney
- ☐ Harvest Survey/Call Center Keri Wash, Bob Day
- Mandatory Reporting Jennifer Ard
- ☐ Technology Services Merissa Hayes, Emily Hinz, Garry Yadon, Ouinn Johnson
- ☐ Geographic Data Services Smith Wells
- ☐ Responsive Management Mike Lewis
- ☐ Wildlife Biologist, Region 1 Bruce Sterling
- ☐ Wildlife Biologist, Region 2 Liz Bradley
- ☐ Wildlife Biologist, Region 3 Jenny Sika
- □ Wildlife Biologist, Region 4 Cory Loecker
- ☐ Wildlife Biologist, Region 5 Ashley Taylor
- ☐ Wildlife Biologist, Region 6 Ryan Williamson
- ☐ Wildlife Biologist, Region 7 Steve Atwood





What information do we collect?



Hunter Harvest Information


- □ Residency
- □ Species
- ☐ License or Permit Type
- ☐ Sex/Age
- Method of Harvest
- ☐ Antler Points
- □ Location of Kill
 - ☐ Hunting District/Region (Most)
 - ☐ Specific Location (M/S/G)
 - ☐ Access/Property Type (Elk)
 - ☐ Township-Range-Section (FB)
- ☐ Time of Kill






Hunter Effort Information

- □ Residency
- □ Species
- □ Location
 - ☐ Hunting District/Region
- □ Days (Most)
- ☐ Traps Set (FB)






Wolf Observations





Moose Observations





What do we produce?



Hunter and Harvest Estimates


| | | | <u>DEER</u> | | | | | | | | | |
|---------------------------------------|---------------------------|---------------------------------------|--------------------------|------------------------------------|-------------|------------------------|-------|---------------------|---------|---------------------|--------------------------|-----------------------------|
| 2015 Deer Sample Summary | | | | | | | | | | | | |
| Total Licenses Issued | Total Licenses Sam | pled Total Hunters Sample | f Total Licenses Res | sponding Total Hunters R | | Survey Response F | | | | | | |
| 229.173 | 135.045 | pied Total Hunters Samples 110,686 | 84.795 | sponding Total Funters R 68.761 | | 63% | cate | | | | | |
| 227,175 | 155,045 | 110,000 | 04,755 | 00,701 | • | 0370 | | | | | | |
| 2015 Deer Hunting and Harvest S | urvey Summary Estima | tes | | | | | | PRONGHORN | ANTELOR | F | | |
| All Deer | | | | | | | | PRONGHORN | ANTELOF | <u>L</u> | | |
| Alle Deer | | | 2015 | Pronghorn Antelope Sample S | ummary | | | | | | | |
| Hunters | Days Afield | Total Harvest* | Harv | | | | | | | | | |
| 155,191 | NA | 86,582 | 6 | Total Licenses Issued | | censes Sampled | | nters Sampled | | enses Responding | Total Hunters Responding | Survey Response Rate |
| Mule Deer | | | | 26,013 | | 17,224 | 1: | 5,761 | | 11,087 | 10,126 | 64% |
| name Dece | | | 2015 | Pronghorn Antelope Hunting | and Harvest | Survey Summary Estim: | ates | | | | | |
| Hunters | Days Afield | Total Harvest* | Harv | | | | | | | | | |
| NA | NA | 41,733 | 3 | Hunters | | rys Afield | Total | Harvest* | Ha | rvest Bucks | Harvest Does | Harvest Fawns |
| White-tailed Deer | | | | | TURK | EY | | | | | 2,995 | 120 |
| | | 2015 Tarabas Samuela Sar | | | | | | | | | | |
| Hunters | Days Afield | 2015 Turkey Sample Summary | | | | | | | | | | |
| NA | NA | Total Licenses Issued | Total Licenses Sampled | Total Hunters Sam | oled | Total Licenses Respond | ling | Total Hunters Respo | nding | Survey Response Ra | ate | |
| | | 27,918 | 18,834 | 15,813 | | 11,561 | | 9,698 | | 61% | | |
| | | | | | | | | | | | | |
| | | 2015 Turkey Hunting and Harvest | Survey Summary Estimate | es | | | | | | | nters Responding | Survey Response Rate |
| 2015 Elk Sample Summary | | Season | Hunters | Days Afield | | Total Harvest* | | Harvest Male | | Harvest Female | 278 | 76% |
| Total Licenses Issued | Total Licenses Sam | Spring | 5.160 | 19.806 | | 2.532 | | 2.532 | | 0 | | |
| 181,620 | 106,117 | Fall | 4,736 | 19,497 | | 2,453 | | 1,422 | | 884 | | |
| · | · | Both (Combined) | 8,836 | 37,381 | | 4,985 | | 3,954 | | 884 | rvest Cows | Harvest Calves |
| 2015 Elk Hunting and Harvest Sur | rvey Summary Estimate | | | | | | | | | | 35 | 1 |
| Hunters | Days Afield | | | T1 | PLAND GAI | ACT DIDD | | | | | | |
| 113,959 | 1,049,003 | | | <u>u</u> | FLAND GA | ME BIKD | | | | | | |
| · | | 2015 Upland Game Bird Sample S | ummary | | | | | | | | | |
| Harvest Public Land | Harvest Private Bl | | | | | | | | | | | |
| 47.0% | 10.6% | Total Licenses Issued | Total Licenses Sampled | | oled | Total Licenses Respond | ing | Total Hunters Respo | nding | Survey Response Ra | | a n n. |
| | | 115,422 | 30,833 | 30,833 | | 18,741 | | 18,741 | | 61% | nters Responding 595 | Survey Response Rate 73% |
| * Includes harvest of animals for whi | ich age and sex were unkr | 2015 Upland Game Bird Hunting | and Harvest Survey Summa | ary Estimates | | | | | | | 393 | 1370 |
| | | , | | ., | | | | | | | | |
| | | Spe | | Hunters | | Days Afield | | Total Harvest | | Total Daily Bag Lim | | |
| | | All Upland | | 36,875 | | 394,870 | | 308,173 | | NA | rvest Ewes | Havest Lambs |
| | | Phea Gray (Hungar | | 21,037 7,455 | | 116,464 53,264 | | 132,169 38,328 | | NA NA | 99 | 0 |
| | | Chukar F | | 7,455 | | 2.369 | | 1.198 | | NA NA | | |
| | | Sharp-Tail | | 10,504 | | 68,625 | | 57,470 | | NA NA | | |
| | | Sage G | rouse | 741 | | 3,134 | | 1,632 | | NA | | |
| | | Ruffed | | 8,954 | | 69,797 | | 39,543 | | NA | | |
| | | Dusky (Bh | | 7,583 | | 54,885 | | 26,244 | | NA | | |
| | | Spruce Unkn | | 2,760 591 | | 20,526 3,813 | | 8,085 1,859 | | NA NA | | |
| | | Unkn | OWII | 591 | | 3,813 | | 1,839 | | INA | uuuuuulA | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |




How is the information used?



Season Setting Recommendations









Elk Shoulder Season Assessment

| | | | | | | 2016 H | arvest Criter | ia - Harvest th | nat is needed a | nd harvest that | was realized | |
|---------------------|-----------------|-----------------|-------|--------|------------------------------------------|----------|-----------------|-----------------|-------------------------------------------------------------|-----------------|-----------------|--------------|
| | | | 2016 | | Archery and General Seasons ^a | | | | All Seasons Combined ^b (Archery+General+Shoulder | | | |
| | Pop | Last | Recru | itment | Adult | Cows | Adult | t Bulls | Adult | Cows | Cows + Bu | lls + Calves |
| Hunting District(s) | Obj | Count | Cows | Bulls | Needed | Realized | Needed | Realized | Needed | Realized | Needed | Realize |
| 101 | NA ^c | NA ^c | | | NA ^c | 21 | NA ^c | 44 | NA ^c | 41 | NA ^c | 87 |
| 109 /110 | NA ^c | NA ^c | | | NA ^c | 13 | NA ^c | 25 | NA ^c | 33 | NA ^c | 59 |
| 210/211 | 1450 | 2281 | 221 | 147 | 113 | 171 | 75 | 131 | 221 | 246 | 368 | 392 |
| 212 | 400 | | 117 | 77 | 60 | 42 | 39 | 131 | 117 | 91 | 194 | 240 |
| 213 | 750 | 516 | 50 | 41 | 26 | 55 | 21 | 63 | 50 | 75 | 91 | 151 |
| 215 | 1400 | 2765 | 533 | 356 | 272 | 276 | 182 | 210 | 533 | 429 | 889 | 659 |
| 217 | 600 | 1225 | 96 | 64 | 49 | 92 | 33 | 42 | 96 | 240 | 160 | 301 |
| 290/298 | 600 | 767 | 95 | 63 | 48 | 121 | 32 | 54 | 95 | 148 | 158 | 215 |
| 291 | 600 | 976 | 58 | 39 | 30 | 81 | 20 | 61 | 58 | 174 | 97 | 240 |
| 292 | NAc | NAc | | | NA ^c | 53 | NAc | 64 | NA ^c | 64 | NA ^c | 130 |
| 312 | 600 | 1058 | 129 | 86 | 66 | 138 | 44 | 199 | 129 | 270 | 215 | 475 |
| 390 | 900 | 2321 | 315 | 210 | 161 | 88 | 107 | 78 | 315 | 189 | 525 | 273 |
| 393 | 1500 | 3027 | 415 | 277 | 212 | 206 | 141 | 192 | 415 | 306 | 692 | 510 |
| 411/511/530 | 800 | 5452 | 468 | 379 | 239 | 286 | 193 | 262 | 468 | 414 | 847 | 717 |
| 412 | 300 | 730 | 86 | 57 | 44 | 60 | 29 | 64 | 86 | 108 | 143 | 179 |
| 421/423 | 500 | 660 | 74 | 50 | 38 | 93 | 26 | 79 | 74 | 118 | 124 | 200 |
| 422 | 500 | 1685 | 186 | 124 | 95 | 62 | 63 | 55 | 186 | 143 | 310 | 203 |
| 445/455 | 2500 | 3976 | 457 | 305 | 233 | 205 | 156 | 141 | 457 | 257 | 762 | 414 |
| 446 | 950 | 2114 | 270 | 180 | 168 | 153 | 92 | 213 | 270 | 283 | 450 | 513 |
| 449/452 | 600 | 1501 | 192 | 128 | 98 | 98 | 65 | 133 | 192 | 132 | 320 | 284 |
| 451 | 275 | 538 | 89 | 59 | 45 | 22 | 30 | 32 | 89 | 62 | 148 | 100 |
| 502/510 | 60 | 180 | 28 | 19 | 14 | 16 | 10 | 10 | 28 | 22 | 47 | 32 |
| 520 | 1050 | 1191 | 281 | 187 | 143 | 72 | 95 | 108 | 281 | 121 | 468 | 235 |
| 540 | 600 | 1786 | 340 | 226 | 173 | 120 | 115 | 79 | 340 | 151 | 566 | 243 |
| 560 | 700 | 1661 | 274 | 183 | 140 | 117 | 93 | 113 | 274 | 157 | 457 | 290 |
| 570 | 100 | 576 | 88 | 59 | 45 | 29 | 30 | 47 | 88 | 47 | 147 | 97 |
| 575 | 225 | 992 | 147 | 99 | 75 | 79 | 50 | 45 | 147 | 89 | 246 | 137 |
| 580 | 975 | 4616 | 581 | 387 | 296 | 165 | 197 | 248 | 581 | 224 | 968 | 487 |
| 590 | 750 | 2331 | 383 | 255 | 195 | 159 | 130 | 233 | 383 | 235 | 638 | 484 |
| 620/621/622 | 1650 | 2869 | 457 | 305 | 233 | 281 | 156 | 264 | 457 | 310 | 762 | 598 |
| 630/631/632 | 350 | 535 | 85 | 56 | 43 | 58 | 29 | 57 | 85 | 98 | 141 | 164 |
| 680/690 | 250 | 435 | 90 | 60 | 46 | 71 | 31 | 44 | 90 | 85 | 150 | 138 |

^aHarvest of adult bulls and cows (no calves) during the archery and general seasons combined must be a number ≥51% of recruitment for both bulls and cows.



bHarvest during all seasons combined (archery, general and shoulder seasons) must be a combined harvest of bulls, cows and calves >100% of recruitment of all elk.

Shoulder seasons in these hunting districts are not intended for population reduction but for redistributing elk. Harvest criteria do not apply.

Hunter Expenditure Estimates

Statewide estimates of deer, elk, and antelope hunter expenditures in Montana (2016).


| | Hunter Days ¹ | | | Average Per Day Expenditures (2016 Adjusted Dollars) | | Estimated Total Expenditures (in millions) | | |
|------------------|--------------------------|--------------|-----------|------------------------------------------------------|--------------|--------------------------------------------|--------------|---------|
| | Residents | Nonresidents | Total | Residents | Nonresidents | Residents | Nonresidents | Total |
| Deer Hunters | 972,808 | 164,760 | 1,137,568 | \$72.48 | \$483.55 | \$70.5 | \$79.7 | \$150.2 |
| Elk Hunters | 902,136 | 146,867 | 1,049,003 | \$87.00 | \$582.07 | \$78.5 | \$85.5 | \$164.0 |
| Antelope Hunters | 51,341 | 7,338 | 58,679 | \$103.30 | \$661.04 | \$5.3 | \$4.9 | \$10.2 |

¹ Estimates of hunters days for deer hunting were provided from PWP's 2013 Hunter Harvest Survey. Estimates of hunter days for elk and antelope hunting were provided from PWP's 2015 Hunter Harvest Survey.

Total (in millions)... \$324.3 The total is biased upwards to some unknown degree because it sums species-specific expenditures whereas a hunter could have hunted multiple species on any given day (e.g., a single day spent hunting elk and deer would count as both an elk hunter day and a deer hunter day in FWP's Hunter Harvest Survey).




Location of Kill – Access/Property Type






Wolf Occupancy Estimates





Hunt Planning



https://myfwp.mt.gov/fwpPub/harvestReports



How do we get the information?

















- Quota regulated species
- ☐ Legislative or Commission requirement
- ☐ Species with limited number of licenses or permits and with limited harvest
- ☐ Typically records harvest only
- ☐ 24-hour call centers
















Random Survey Sampling

- ☐ Probability Sampling
 - □ Sample ~ 60% (up to 100% for limited licenses and permits)
 - ☐ Underlying theory dates to early 1900's
 - Makes population inference possible





Random Survey Sampling


☐ Elk, Deer, Antelope, Upland Game Birds, Turkey

| number issued | hunters | days |
|---------------|---------|-----------|
| 614,357 | 324,249 | 2,488,809 |

☐ Elk, Deer, Antelope only

| number issued | hunters | days |
|---------------|---------|-----------|
| 455,885 | 286,315 | 2,181,179 |


■ Many opportunities





Harvest Survey Calling


- □ Call centers in Helena & Bozeman
- □ 50 callers
- ☐ Training and supervision
- □ Direct data entry computer application
- □ No mandatory check duplication







Mail Surveys





Mail Surveys

Hunter Access



Dear 2017 Montana Elk Hunter.

Via the Hunter Harvest Telephone Survey, you indicated that you harvested an elk in Hunting District 328 using your 2017 GENERAL ELK LICENSE this past hunting season in Montana.

FWP is surveying successful elk hunters from this past season (2017) to learn more about where elk are specifically being harvested across the state.

Please take a minute to complete the attached survey. Return your completed survey by mail when you are done (no postage is necessary). Of course, this survey is voluntary and your responses to the survey questions will remain confidential.

If you have questions about this survey, please contact Keri Wash by phone (406) 994-5374 or by email kwash@mt.gov

Thank you for your help!

Ken McDonald Wildlife Division Administrator



MONTANA FISH, WILDLIFE & PARKS

(Please detach and drop your completed survey in the mail when you are done)

This survey focuses specifically on the elk you reported you harvested in Hunting District 328 using your 2017 GENERAL ELK LICENSE this past hunting season in Montana.

On what type of property did you harvest this elk? (check only one)

- [] Publicly owned land (e.g., FWP, DNRC/state, Forest Service, Bureau of Land Management, Fish & Wildlife Service lands, etc.). Of note, Block Management is NOT publicly owned land.
- [] Private land enrolled in Block Management. Of note, Nature Conservancy, Weyerhaeuser (formerly Plum Creek Timber), and other corporate timber company lands in the western part of the state are enrolled in Block Management.
- Non-Block Management private land (without a fee) that is owned by your family, relatives, a close friend, or friends of your family/relatives
- [] Non-Block Management private land (without a fee) that is NOT owned by your family, relatives, a close friend, or friends of your family/relatives
- [] Private land (guided by a hunting outfitter)
- [] Private land with access fee charged (e.g., hunting lease, fees charged per hunter or group of hunters, hunting club, etc.)

Thank you for your help!

3505



Mail Surveys

Furbearer Survey



| TRAPPI DISTRI | | $S_{\mathbf{l}}$ | pecies | Number of Traps/ Snares Set | Number of Days Set | Numbe Harvest (Kept) | ed |
|---------------------------------------------------------------|------------------------------|----------------------------------------|-----------------------------------------|---------------------------------------|-----------------------------------|----------------------------|--------------------|
| | | | | | | | |
| | | | *************************************** | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Please report your tivity WITHOUT H ccoon, red fox, sti | furbearer and OUNDS (badg | predator H er, bobcat ootted sku | UNTING , coyote, nk). | 4. Please report your WITH HOUNDS (b) | furbearer HUNT pobcat, raccoon | ING activity | |
| DISTRICT | Species Hunted | Days Hunted | Number Harvested | DISTRICT | Species Hunted | Days Hunted | Number Harveste |
| | | | | | | | |
| | | | | | | | |
| | | | | 1466 | | | |



Why do we do it the way we do?



History

- Making reliable (accurate and precise) estimates of game harvest in a timely manner is a long standing and fundamental activity of MFWP
- ☐ Began in 1941
- Many approaches have been attempted and evaluated through the years.
 - Mandatory check implemented:
 - ☐ Lions: 1971, Sheep: 1974, Goats: 1982,

Bears: 1985

☐ Elk: evaluated for permits in 1989 (70%)

compliance)

- ☐ Program reviews:
 - **□** 1971, 1983, 1986
 - ☐ Wildlife Management Institute 2006

Wildlife Society Bulletin 9999:1-8; 2011; DOI: 10.1002/wsb.61

Original Article

Evaluating Cost-Efficiency and Accuracy of Hunter Harvest Survey Designs

PAUL M. LUKACS, ^{1,3} Colorado Direction of Hiddip, 317 M Prospect Road, Part Gellen, CD 10530, USA JUSTEM A. GEDDE, Montane Fish, Hiddip, and Frain, 1420 E 6th Armon, Inlana, MT 19630, USA ROHIN E. BUSSELL, ³ Montane Fish, Hiddip, and Finks, 1460 E 1986 Armon, Stemma, MT 19718, USA BRUCE B. ACKERMANN, Links Department of Fish and Came, FO. Box S. Box, ID 18700, USA

AMSTRACT Efforite munagement of havested wildle often requires accust estimates of the number of simula harvested unsulty by husters. A waviery of techniques cants to obtain harvest dath, such as harvest rearries, check stations, mandaturey reporting requirements, and wohstarsy supering of harvest. Agreeice repossible for managing harvested wildline on the out (Challes) opp.), de (Gerwa oldpels, and pumplyment of the contraction of the contractio

KEY WORDS deer, elk, burvest survey, bunter survey, pronghom, response bias, selection bias, survey samp

Hance harves statistics form a substantial basis for abrast of structured of suchcids of sunsimilarity lands they gave repulsions (Condwary and Wood 1991). Estimates of harvested simular plays a particularly inspectate rules in surangement of species with naturally low reproductive output such as deer (Colossion eya, bet, (Corsue deploys), and pengloom (Anticlopus american). Demaritis and Kramstan 2000; (Anticlopus american), Demaritis and Kramstan 2000; (Anticlopus american), Demaritis and Kramstan 2000; and on with animal population estimates to 10 columns whether current harvest levels are untainable, 2) evaluate whether current harvest levels are untainable, 2) evaluate whether their seasons are set at the appropries time and length to allow from the colors of the colors of the production of the production of the production dynamics of a species require accounts harvest assign the relative or of 2000; and for some lines statisfication of the colors of the production dynamics of a species require accounts have estimated aspecies, willful managers may use buster harvest as include 1990; 1, corel for a 1990; 1, corel for a 1990.

Received: 22 October 2010: Accented: 14 have 2011

E-mail: paul lukwellefe sont edu Present Address: Wildlife Eislagy I

Wildlife Research Center, Jamestrom, ND 58401, US

A long history of harvest data collection exists in the wildfir management profusion. Data collection methods include houter surveys (I learn and Byel 1909, Filies 1975, Santerst et al. 1994, U learnest et al. 2000, Instruct clear Santerst et al. 1994, U learnest et al. 2000, Instruct clear et al. 2000, Instruct clear et al. 2000, and and the santerst et al. 1995, Reverbery et al. 2004, Humans et al. 2000, and woluntary reporting, In some cases the data collection design was based on actionitie rassous; in other cases plottical forces, and the santerst et al. 2000, and woluntary reporting in the santerst expension of the santerst expe

too posturate class in substitutionary are true to extractive to the posture of the posture of the posture array analysis (Neysuus 1934, Carbons 1977, Indua 2010), and hunter harvest surreys based one probabilistic sampling designs possible a firm statistical basis for harvest estimation, and the posture harvest posture of probabilistic sampling designs possible a firm statistical basis for harvest estimation. All 2009, and hunter sampling for these surveys can be stratified according until highly-nec, and interest (Dillium et al. 2009), and hunter sampling for these surveys; can be stratified according to rosidency, lesses types, or effects of the posture o

Lakus et al. • Hunter Harvest Survey Design



Cost

Financial Costs

| Ctata | Elk, Deer, | Elk, Deer, Antelope | Data Collection |
|---------|-------------------------|---------------------|-----------------|
| State | Antelope Hunters | Issued Licenses | Costs |
| Montana | 286,315 | 455,885 | ~ \$210,000 |
| Idaho | 232,381 | 254,785 | ~ \$400,000 |



Cost

Regulatory Costs

| State | License Holders | Compliance Rate |
|------------|-----------------|-----------------|
| Idaho | ~ 230,000 | 62% |
| Washington | ~280,000 | 70% |
| New Mexico | ~50,000 | 83% |
| Utah | ~6,000 | 80% |




Timeliness

| Survey | Date Required |
|--------------------------|---------------|
| Moose, Sheep, Goat | March |
| Elk | April* |
| Deer | April |
| Pronghorn | April |
| Upland Game Birds | April |
| Turkey | April |





Accuracy





Accuracy


| 2 | 2017 Elk Harvest Estimates | | | | | | |
|-------------------|----------------------------|----------------------|--|--|--|--|--|
| State | 30,348 | 0.9% | | | | | |
| Region 1 | 931 | 5.1% | | | | | |
| Region 2 | 5,012 | 2.2% | | | | | |
| Region 3 | 13,904 | 1.4% | | | | | |
| Region 4 | 5,686 | 2.1% | | | | | |
| Region 5 | 2,962 | 2.9% | | | | | |
| Region 6 | 659 | 4.9% | | | | | |
| Region 7 | 1,171 | 4.3% | | | | | |
| Hunting Districts | 183 (0 - 938) | 19.8% (5.4% - 82.8%) | | | | | |



How well do we do?




HD 445 – Bull Elk Harvest





Bobcat Harvest






Future Enhancements



Harvest Data Self-entry



Summary



MFWP Harvest Survey Program

- ☐ Long history
- ☐ Cross-divisional program
- □ Continual refinement
- ☐ Hybrid system
 - Mandatory checking
 - □Smaller, focused hunts
 - ☐ Survey sampling
 - □Larger, less focused hunts
- □ Requires hunter participation
- ☐ Goals: reliability and timeliness while balancing costs



